



FITTING INSTRUCTIONS FOR


# Rear Shock Guards

SKU

**KS0851**

COMPATIBILITY

**Toyota LandCruiser LC300**



## Included contents

QTY	COMPONENT	QTY	COMPONENT
1	Shock Guard LHS	8	M10 x 30 x 2.5 DIN Flat Washer
1	Shock Guard RHS	2	M10 Flanged Nut
4	M10 x 25 Flanged Hex Bolt G8.8	2	M10 x 90 Hex Head Bolt
4	M10 Channel Nut		



**Time**

10 minutes / Few sips of beer

Scan the **QR code** to watch the video installation guide,  
or for further information contact KAON on **07 3180 1470** or [info@kaon.com.au](mailto:info@kaon.com.au)




## Bolt Torque

DIAMETER (mm)	5mm	6mm	8mm	10mm	12mm
NEWTON-METRES (Nm)	5 Nm	9 Nm	22 Nm	44 Nm	77 Nm

# Let's get to work.

## Installation

1. We want a nice clean starting surface, so remove any dirt and debris from the mounting surfaces on the shock absorber mount.
2. Position the guard over the shock absorber and check clearance with any existing guards. BP51 plastic guards may need a slight trim to the bottom of the plastic guard.
3. Secure the shock guard in place by threading through the M10 x 90 bolt in the top mounting position. The guard should now be able to hang in place.
4. Secure the bolt using the provided washer and nut.



## Installation cont.

5. Using an M10 x 25 bolt, washer and nut block, secure the bottom mounts on each side.
6. Position the guard and torque all bolts to the required torque, as per the table.
7. Repeat on the other side.
8. That's it, you're done! All that's left is to hit road with confidence that your investment in quality shock absorbers is protected.





## **Local Knowledge & Assistance**

We know half the fun of building your dream 4x4 is getting your hands dirty. But we also know that sometimes, things don't go to plan. If in the pursuit to build the ultimate setup you find yourself off-track, we're here to help you get unstuck.

**For further information call 07 3180 1470 or email [info@kaon.com.au](mailto:info@kaon.com.au)**

Disclaimer: The products sold by KAON should not be modified, and are for use only on the vehicles specifically stated. KAON will not be liable for any damages arising out of the use or misuse of its products. It is the customers responsibility to ensure the products are safely and properly used and installed. KAON consistently seeks to improve its products and reserves the right to make changes to any product.